

TEST REPORT


REPORT NO:	CECPL/FOOD/0114	REPORT DATE:	03.04.2025
Customer Name & Address	M/s. Aarchit Ayurved Pvt Ltd S.no.209 Sant Tukaram Nagar Dighi Road Bhosari Pune 411039		
Sample Description	EpiPreg (Masanumasik-Grathokt) Tablet		
Condition of sample	Acceptable	Sample Given By: Customer	
Date of receipt	26.03.2025	Quantity	250gm
Duration of testing	26.03.2025 - 03.04.2025		

Test Result

SR. No.	NAME OF TEST	UNIT	RESULT	TEST METHOD
A)	Elemental Analysis			
1.	Lead	ppm	< 0.01	FSSAI Manual for Metal Analysis
2.	Cadmium	ppm	< 0.01	
3.	Mercury	ppm	< 0.01	
4.	Iron	ppm	< 0.01	
5.	Arsenic	ppm	< 0.01	
6.	Copper	ppm	< 0.01	
B)	Microbial Analysis			
1.	Total Coli forms	NMT 100 CFU/g	18	IS 5401 (Part 1)
2.	E. Coli	Absent	Absent	IS 5887 (Part 1)
3.	Total Plate Count	CFU/g	20	APHA:9215A

NOTE:

- 1) The Tests were performed in Laboratory on the sample(s) as in given condition by customer.
- 2) Any test report shall not be reproduced except in full, without the written permission from Constrovision Engineering Consultants Pvt. Ltd.
- 3) This report, in full or in part, shall not be used to make any misleading claims or for any legal purposes.
- 4) Statement of conformity to a specification is provided considering the level of risk associated with decision rule applied
- 5) Measurement Uncertainty is not taken into consideration while stating conformity with the specified requirements as requested by the customer.



Reviewed and Authorized by,

Shinde

Vijay Shinde.
(Managing Director)

End of test report